

**PERFORMANCE DATA**

Compressor Model	<b>C-SBP130H38A</b>
Power Source	<b>3PH 50Hz 380-415V</b>
Suction Gas Superheat(K)	<b>11.1</b>
Sub Cooling(K)	<b>8.3</b>
Compressor Cooling	<b>Natural Cooling</b>
Refrigerant	<b>R410A</b>

**CAPACITY(W)**

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	5,960	7,280	8,310	10,850	12,940	14,470	16,180	17,530
40.5	5,520	6,740	7,680	10,030	11,950	13,360	14,940	16,180
45.0	5,180	6,320	7,200	9,400	11,200	12,510	13,990	15,140
50.0	4,820	5,880	6,700	8,740	10,410	11,630	12,990	14,070
54.4		5,520	6,290	8,200	9,760	10,900	12,180	13,180
60.0			5,800	7,560	8,990	10,040	11,210	12,130
65.0				7,030	8,360	9,340	10,430	11,280

**POWER(W)**

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	2,540	2,520	2,510	2,470	2,440	2,410	2,390	2,370
40.5	2,830	2,830	2,820	2,780	2,750	2,720	2,690	2,670
45.0	3,110	3,110	3,100	3,070	3,040	3,020	2,990	2,970
50.0	3,460	3,470	3,460	3,440	3,410	3,390	3,360	3,340
54.4		3,810	3,810	3,800	3,770	3,750	3,730	3,710
60.0			4,310	4,300	4,280	4,260	4,240	4,220
65.0				4,800	4,790	4,770	4,750	4,740

**CURRENT(A)**

@380V

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	5.0	5.0	5.0	5.0	4.9	4.9	4.8	4.8
40.5	5.5	5.5	5.5	5.4	5.4	5.3	5.3	5.3
45.0	5.9	5.9	5.9	5.8	5.8	5.8	5.7	5.7
50.0	6.4	6.4	6.4	6.4	6.3	6.3	6.3	6.2
54.4		6.9	6.9	6.9	6.8	6.8	6.8	6.7
60.0			7.5	7.5	7.5	7.5	7.5	7.4
65.0				8.2	8.2	8.2	8.1	8.1

**NOTE:**

\* The performance values subject to change without notice.